

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|----------|--|---|------------------|---------|------------------|
| L1 | 18 | "6338141".pn. "6357008".pn. "6314425".pn. "6785732".pn. "6029256".pn. "20050283837" "5960170".pn. "6279113".pn. "6397335".pn. "6802028".pn. "6851057".pn. "6021510".pn. "6067410".pn. "6073239".pn. "5802277".pn. "5559960".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 17:41 |
| L2 | 1819 | mcafee.as. symantec.as. norton. as. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 17:42 |
| L3 | 118 | virus and 2 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:07 |
| L4 | 11233016 | @ad<"20001218" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:07 |
| L5 | 41 | 3 and 4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:09 |
| L6 | 108 | mcafee.as. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:09 |
| L7 | 69698 | virus and 4 not 6 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:10 |
| L8 | 19135 | detect\$5 with virus | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:10 |
| L9 | 8974 | 7 and 8 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:11 |
| L10 | 1229 | database and 9 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:11 |

BEST AVAILABLE COPY

EAST Search History

| | | | | | | |
|-----|---------|--|---|----|----|------------------|
| L11 | 252 | compil\$5 and 10 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:11 |
| L12 | 3698478 | clean\$5 disinfect\$5 remov\$3 delet\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:12 |
| L13 | 15726 | virus with 12 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:13 |
| L14 | 72 | 11 and 13 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:15 |
| L15 | 3079 | anti\$3virus | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:14 |
| L16 | 22 | 14 and 15 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:14 |
| L17 | 2 | 14 not gene\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:14 |
| L18 | 60 | computer and 14 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:16 |
| L19 | 12130 | virus.clm. | US-PGPUB | OR | ON | 2007/03/03 18:16 |
| L20 | 7720 | delta.clm. | US-PGPUB | OR | ON | 2007/03/03 18:16 |
| L21 | 204 | 19 and 20 | US-PGPUB | OR | ON | 2007/03/03 18:16 |
| L22 | 48569 | database.clm. | US-PGPUB | OR | ON | 2007/03/03 18:16 |
| L23 | 3 | 21 and 22 | US-PGPUB | OR | ON | 2007/03/03 18:16 |
| L24 | 9284 | definition.clm. | US-PGPUB | OR | ON | 2007/03/03 18:17 |
| L25 | 93 | 19 and 24 | US-PGPUB | OR | ON | 2007/03/03 18:17 |
| L26 | 16 | 25 and 22 | US-PGPUB | OR | ON | 2007/03/03 18:17 |
| L27 | 2606 | 709/224.ccls. | US-PGPUB | OR | ON | 2007/03/03 18:19 |
| L28 | 2693 | 709/223.ccls. | US-PGPUB | OR | ON | 2007/03/03 18:18 |
| L29 | 1179 | 709/220.ccls. | US-PGPUB | OR | ON | 2007/03/03 18:18 |
| L30 | 3705 | 707/1.ccls. 707/6.ccls. | US-PGPUB | OR | ON | 2007/03/03 18:19 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| L31 | 9817 | 27 28 29 30 | US-PGPUB | OR | ON | 2007/03/03 18:19 |
| L32 | 830 | 4 and 31 | US-PGPUB | OR | ON | 2007/03/03 18:19 |
| L33 | 24927 | 709/224.ccls. 709/223.ccls. 709/220.ccls. 707/1.ccls. 707/3. ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:20 |
| L34 | 8395 | 4 and 33 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:20 |
| L35 | 111081 | virus and "35" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:20 |
| L36 | 183 | virus and 34 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:21 |
| L37 | 181 | 36 not mcafee.as. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/03/03 18:21 |

| | | | | | | |
|-----------------------------|----------------------|------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|
| RFC-ED HOME | NEWS | RFC DATABASE | RFC SEARCH | RFC ERRATA | I-D SEARCH | IETF HOME |
|-----------------------------|----------------------|------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|

RFC Index Search Engine



Perform Another Search :

Search for: ☐ All Fields ☐ 25 Results Per Page:

RFC File: ☒ ASCII+ ☐ All PDF

Search : ☒ All ☐ RFC ☐ STD ☐ BCP ☐ FYI

Match : ☒ Prefix ☐ Entire Word

Show Abstract: ☐ On ☒ Off

Show Keywords: ☐ On ☒ Off

Result Order : ☒ Descending ☐ Ascending

RFC Contents Via: ☒ FTP ☐ HTTP

o Based on your search of [*virus*] in the *All Fields* field **2** matches were found

- Below you will find matching items **1 through 2**

| Number | Title | Author or Ed. | Date | Format | More Info (Obs&Upd) | Status |
|---------|--|---------------|----------------|--------|---------------------|-------------------|
| RFC3685 | SIEVE Email Filtering: Spamtest and VirusTest Extensions | C. Daboo | February 2004 | ASCII | | PROPOSED STANDARD |
| RFC3607 | Chinese Lottery Cryptanalysis Revisited: The Internet as a Codebreaking Tool | M. Leech | September 2003 | ASCII | | INFORMATIONAL |



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+virus +detect +definition +database

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before December 2000

Terms used [virus](#) [detect](#) [definition](#) [database](#)

Found 91 of 117,527

Sort results by

relevance

Display results

expanded form

☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ [Open results in a new window](#)
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 91

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐1 [Norman virus control for Windows NT](#)

Gilbert Held

May 1998 **International Journal of Network Management**, Volume 8 Issue 3

Publisher: John Wiley & Sons, Inc.

Full text available: [pdf\(845.67 KB\)](#) Additional Information: [full citation](#), [index terms](#)2 [How to withstand mobile virus attacks \(extended abstract\)](#)

Rafail Ostrovsky, Moti Yung

July 1991 **Proceedings of the tenth annual ACM symposium on Principles of distributed computing PODC '91**

Publisher: ACM Press

Full text available: [pdf\(899.57 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)3 [A taxonomy of computer program security flaws](#)

Carl E. Landwehr, Alan R. Bull, John P. McDermott, William S. Choi

September 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 3

Publisher: ACM Press

Full text available: [pdf\(3.81 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

An organized record of actual flaws can be useful to computer system designers, programmers, analysts, administrators, and users. This survey provides a taxonomy for computer program security flaws, with an Appendix that documents 50 actual security flaws. These flaws have all been described previously in the open literature, but in widely separated places. For those new to the field of computer security, they provide a good introduction to the characteristics of security flaws and how they ...

Keywords: error/defect classification, security flaw, taxonomy4 [Illustrative risks to the public in the use of computer systems and related technology](#)



Peter G. Neumann

January 1996 **ACM SIGSOFT Software Engineering Notes**, Volume 21 Issue 1




Publisher: ACM Press

Full text available: [pdf\(2.54 MB\)](#) Additional Information: [full citation](#)



5 Illustrative risks to the public in the use of computer systems and related technology

 Peter G. Neumann
January 1994 **ACM SIGSOFT Software Engineering Notes**, Volume 19 Issue 1
Publisher: ACM Press
Full text available:  [pdf\(2.24 MB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)

6 Intrusion detection for distributed applications



 Matthew Stillerman, Carla Marceau, Maureen Stillman
July 1999 **Communications of the ACM**, Volume 42 Issue 7
Publisher: ACM Press
Full text available:  [pdf\(210.29 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
 [html\(34.90 KB\)](#)

7 Prophylaxis for "virus" propagation and general computer security policy

 Daniel Guinier
June 1991 **ACM SIGSAC Review**, Volume 9 Issue 3
Publisher: ACM Press
Full text available:  [pdf\(631.90 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Viruses propagate easily with **economic consequences** that are difficult to estimate. Appropriate means of prevention, detection and protection are needed to preserve integrity and availability of computer systems. **Prophylaxis effects** first have to be researched to provide data for choice of appropriate measures according to the general security policy. Several models for virus propagations borrowed from biology have been developed in the continuous case to indicate that segre ...



8 Balancing cooperation and risk in intrusion detection

 Deborah Frincke
February 2000 **ACM Transactions on Information and System Security (TISSEC)**, Volume 3 Issue 1
Publisher: ACM Press
Full text available:  [pdf\(236.44 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Early systems for networked intrusion detection (or, more generally, intrusion or misuse management) required either a centralized architecture or a centralized decision-making point, even when the data gathering was distributed. More recently, researchers have developed far more decentralized intrusion detection systems using a variety of techniques. Such systems often rely upon data sharing between sites which do not have a common administrator and therefore cooperation will be required i ...

Keywords: access control models, authorization mechanisms, collaborative systems

9 Illustrative risks to the public in the use of computer systems and related technology

 Peter G. Neumann
January 1992 **ACM SIGSOFT Software Engineering Notes**, Volume 17 Issue 1
Publisher: ACM Press
Full text available:  [pdf\(1.65 MB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)

10 Computer immunology

Stephanie Forrest, Steven A. Hofmeyr, Anil Somayaji

October 1997 **Communications of the ACM**, Volume 40 Issue 10

Publisher: ACM Press

Full text available:  pdf(460.66 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 Incremental cryptography and application to virus protection

Mihir Bellare, Oded Goldreich, Shafi Goldwasser

May 1995 **Proceedings of the twenty-seventh annual ACM symposium on Theory of computing STOC '95**

Publisher: ACM Press


Full text available:  pdf(1.65 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

12 HEmut-PoliCaza: introducing Ada in the university through PC anti-virus software development

Alvaro Hermida

December 1992 **Proceedings of the conference on TRI-Ada '92 TRI-Ada '92**

Publisher: ACM Press


Full text available:  pdf(784.32 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

13 An equational object-oriented data model and its data-parallel query language

Susumu Nishimura, Atsushi Ohori, Keishi Tajima

October 1996 **ACM SIGPLAN Notices, Proceedings of the 11th ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications OOPSLA '96**, Volume 31 Issue 10

Publisher: ACM Press

Full text available:  pdf(1.98 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


This paper presents an equational formulation of an object-oriented data model. In this model, a database is represented as a *system of equations* over a set of oid's, and a database query is a transformation of a system of equations into another system of equations. During the query processing, our model maintains an *equivalence relation* over oid's that relates oid's corresponding to the same "real-world entity." By this mechanism, the model achieves a declarative set-based query I ...

14 The design and implementation of tripwire: a file system integrity checker

Gene H. Kim, Eugene H. Spafford

November 1994 **Proceedings of the 2nd ACM Conference on Computer and communications security CCS '94**

Publisher: ACM Press

Full text available:  pdf(1.22 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

At the heart of most computer systems is a file system. The file system contains user data, executable programs, configuration and authorization information, and (usually) the base executable version of the operating system itself. The ability to monitor file systems for unauthorized or unexpected changes gives system administrators valuable data for protecting and maintaining their systems. However, in environments of many networked heterogeneous platforms with different policies and softw ...

15 Biological versus computer viruses

D. Guinier

July 1989 **ACM SIGSAC Review**, Volume 7 Issue 2



Publisher: ACM Press

Full text available:  pdf(933.73 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)



[terms](#)

To understand biological viruses, some notions of the fundamental knowledge of the structure of DNA, the genetic code, the biosynthesis of proteins, the transcription, replication and transfer processes,... are presented so as to give an idea as to how the genetic information is decrypted by biological mechanisms and consequently, how viruses work. **A computer "virus"** can be defined as a piece of code with a self-reproducing mechanism riding on other programs which cannot exist by it ...

16 [Optimization of relational algebra expressions containing recursion operators](#)

 Ming-Chien Shan, Marie-Anne Neimat
 April 1991 **Proceedings of the 19th annual conference on Computer Science CSC '91**
Publisher: ACM Press
 Full text available:  [pdf\(887.16 KB\)](#) Additional Information: [full citation](#), [references](#)



17 [Temporal sequence learning and data reduction for anomaly detection](#)

 Terran Lane, Carla E. Brodley
 August 1999 **ACM Transactions on Information and System Security (TISSEC)**, Volume 2 Issue 3
Publisher: ACM Press
 Full text available:  [pdf\(628.31 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The anomaly-detection problem can be formulated as one of learning to characterize the behaviors of an individual, system, or network in terms of temporal sequences of discrete data. We present an approach on the basis of instance-based learning (IBL) techniques. To cast the anomaly-detection task in an IBL framework, we employ an approach that transforms temporal sequences of discrete, unordered observations into a metric space via a similarity measure that encodes intra-attribute dependence ...

Keywords: anomaly detection, clustering, data reduction, empirical evaluation, instance based learning, machine learning, user profiling



18 [Sensitive security points in PC microcomputers: understanding for building secure solutions to intrusions](#)

 Daniel Guinier
 January 1992 **ACM SIGSAC Review**, Volume 10 Issue 1
Publisher: ACM Press
 Full text available:  [pdf\(782.25 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The future of computer security is very dependent on the wild development of **networking** and **microcomputing**, and it is more and more difficult to protect microcomputers against enhanced piracy or "viruses". Also, a **revision of such systems** must be taken into consideration involving machines, operating systems, applications and data to avoid unauthorized access, abusive use of resources and losses of **confidentiality, integrity and availability. Solutions ...**

Keywords: crime, detection intrusion model, intrusion, protection, security, virus

19 [Privacy policies and practices: inside the organizational maze](#)

 H. Jeff Smith
 December 1993 **Communications of the ACM**, Volume 36 Issue 12
Publisher: ACM Press
 Full text available:  [pdf\(6.76 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: information privacy

20 **Document detection: TIPSTER phase I final report**

Bill Caid, Stephen Gallant, Joel Carleton, David Sudbeck

September 1993 **Proceedings of a workshop on held at Fredericksburg, Virginia:
September 19-23, 1993**

Publisher: Association for Computational Linguistics

Full text available:  pdf(1.84 MB) Additional Information: [full citation](#), [abstract](#)

During Phase I of the TIPSTER program, HNC developed a unique approach to machine learning of similarity of meaning. This approach, embodied in a system called "MatchPlus", exploits this learned similarity of meaning for concept-based text retrieval, routing and visualization of textual information. MatchPlus uses an information representation scheme called "context vectors" to encode similarity of usage. Key attributes of the context vector approach are as follows: • Words, documents, and q ...

Results 1 - 20 of 91

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)